

CE	AKUTERM	TECHNICKÝ LIST	CERTIFIKÁT Rw	složení	exteriér mm	interiér mm	tl. mm	hm. kg/m2	plyn	Ug EN 673 W/m2K	Rw dB	korekce Rw		EN 12600	EN 356	g %	Lt %	Lr %	stínící koef. s.c.	UV %	
												C dB	Ctr dB								bezpečnost
STANDARD																					
AKU STANDARD	TL			4 / 16 / 4	Float	Float	24	20		2,7	32					76	81	15	0,87	44	
AKU STANDARD	TL			5 / 16 / 5	Float	Float	26	25		2,7	32					74	80	14	0,85	41	
AKU STANDARD	TL			6 / 16 / 6	Float	Float	28	30		2,7	33					72	79	14	0,83	38	
AKU STANDARD	TL			8 / 16 / 8	Float	Float	32	40		2,7	34					69	77	14	0,79	33	
AKU STANDARD	TL			10 / 16 / 10	Float	Float	36	50		2,7	35					69	77	14	0,79	35	
TEPELNÉ - IZOLAČNÍ																					
CLIMAPLUS ULTRA N	TL			4 / 16 / 4	Float	Planitherm ULTRA N	24	20		1,4	32					62	80	12	0,72	33	
CLIMAPLUS ULTRA N Ar	TL			4 / 12 / 4	Float	Planitherm ULTRA N	20	20	Ar	1,2	32					63	80	12	0,72	33	
CLIMAPLUS ULTRA N Ar	TL			4 / 16 / 4	Float	Planitherm ULTRA N	24	20	Ar	1,1	32					62	80	12	0,72	33	
CLIMAPLUS ULTRA N Ar	TL			4 / 18 / 4	Float	Planitherm ULTRA N	28	20	Ar	1,1	32					62	80	12	0,72	33	
CLIMAPLUS ULTRA N Ar	TL			6 / 16 / 6	Float	Planitherm ULTRA N	28	30	Ar	1,1	32					60	78	11	0,69	29	
CLIMAPLUS ONE	TL			4 / 16 / 4	Float	Planitherm ONE	24	20		1,3	32					49	71	22	0,57	26	
CLIMAPLUS ONE Ar	TL			4 / 16 / 4	Float	Planitherm ONE	24	20	Ar	1,0	32					49	71	22	0,57	26	
CLIMAPLUS ONE Ar	TL			6 / 12 / 6	Float	Planitherm ONE	24	30	Ar	1,2	31					48	69	22	0,55	23	
CLIMAPLUS ONE Ar	TL			6 / 16 / 6	Float	Planitherm ONE	28	30	Ar	1,0	32					48	69	22	0,55	23	
AKUPLUS PREMIUM				4 / 16 / 4	Float	ClimaGuard Premium	24	20		1,4						63	80	12	0,69	35	
AKUPLUS PREMIUM Ar	TL			4 / 12 / 4	Float	ClimaGuard Premium	20	20	Ar	1,3						63	80	12	0,69	35	
AKUPLUS PREMIUM Ar	TL			4 / 14 / 4	Float	ClimaGuard Premium	22	20	Ar	1,2						63	80	12	0,69	35	
AKUPLUS PREMIUM Ar	TL			4 / 16 / 4	Float	ClimaGuard Premium	24	20	Ar	1,1						63	80	12	0,69	35	
AKUPLUS PREMIUM Ar				6 / 12 / 6	Float	ClimaGuard Premium	24	30	Ar	1,3						60	78	12	0,66	32	
AKUPLUS PREMIUM Ar				6 / 16 / 6	Float	ClimaGuard Premium	28	30	Ar	1,1						60	78	12	0,66	32	
TROJSKLA - TEPELNÉ IZOLAČNÍ																					
CLIMATOP ULTRA N 10 Ar	TL			4 / 10 / 4 / 10 / 4	Planitherm ULTRA N	Planitherm ULTRA N	32	30	Ar	0,8	34					50	72	14	0,57	21	
CLIMATOP ULTRA N 12 Ar	TL			4 / 12 / 4 / 12 / 4	Planitherm ULTRA N	Planitherm ULTRA N	36	30	Ar	0,7	34					50	72	14	0,57	21	
CLIMATOP ULTRA N 14 Ar	TL			4 / 14 / 4 / 14 / 4	Planitherm ULTRA N	Planitherm ULTRA N	40	30	Ar	0,6	34					50	72	14	0,58	21	
CLIMATOP ULTRA N 16 Ar	TL	Rw		4 / 16 / 4 / 16 / 4	Planitherm ULTRA N	Planitherm ULTRA N	44	30	Ar	0,6	34	-2	-6			50	72	14	0,58	21	
CLIMATOP ULTRA N 18 Ar	TL			4 / 18 / 4 / 18 / 4	Planitherm ULTRA N	Planitherm ULTRA N	48	30	Ar	0,6	34					50	72	14	0,58	21	
CLIMATOP ULTRA N 12 SAFE P2A	TL			VSG 33.2 / 12 / 4 / 12 / 4	VSG LOW-E	Planitherm ULTRA N	36	30	Ar	0,7	34			1B1	P2A	46	71	14	0,53	1	
CLIMATOP ONE 12 Ar	TL			4 / 12 / 4 / 12 / 4	Planitherm ONE	Planitherm ONE	36	30	Ar	0,7	34					37	58	31	0,42	14	
CLIMATOP ONE 14 Ar	TL			4 / 14 / 4 / 14 / 4	Planitherm ONE	Planitherm ONE	40	30	Ar	0,6	34					37	58	31	0,42	14	
CLIMATOP ONE 16 Ar	TL	Rw		4 / 16 / 4 / 16 / 4	Planitherm ONE	Planitherm ONE	44	30	Ar	0,5	34	-2	-6			37	58	31	0,42	14	
CLIMATOP ONE 18 Ar	TL			4 / 18 / 4 / 18 / 4	Planitherm ONE	Planitherm ONE	48	30	Ar	0,5	34					37	58	31	0,42	14	
AKUTOP PREMIUM 1x 40 / 0.9	TL			4 / 14 / 4 / 14 / 4	Float	ClimaGuard Premium	40	30	Ar	0,9						58	73	19	0,63	31	
AKUTOP PREMIUM 32 / 0.8	TL			4 / 10 / 4 / 10 / 4	ClimaGuard Premium	ClimaGuard Premium	32	30	Ar	0,8						49	71	15	0,53	20	
AKUTOP PREMIUM 36 / 0.7	TL			4 / 12 / 4 / 12 / 4	ClimaGuard Premium	ClimaGuard Premium	36	30	Ar	0,7						49	71	15	0,53	20	
AKUTOP PREMIUM 38 / 0.7	TL			4 / 12 / 4 / 14 / 4	ClimaGuard Premium	ClimaGuard Premium	38	30	Ar	0,7						49	71	15	0,53	20	
AKUTOP PREMIUM 40 / 0.6	TL			4 / 14 / 4 / 14 / 4	ClimaGuard Premium	ClimaGuard Premium	40	30	Ar	0,6						49	71	15	0,53	20	
AKUTOP PREMIUM 44 / 0.6	TL	Rw		4 / 16 / 4 / 16 / 4	ClimaGuard Premium	ClimaGuard Premium	44	30	Ar	0,6	34	-2	-6			49	71	15	0,53	20	
AKUTOP PREMIUM 48 / 0.5	TL			4 / 18 / 4 / 18 / 4	ClimaGuard Premium	ClimaGuard Premium	48	30	Ar	0,5						49	71	15	0,53	20	
AKUTOP LUX 62 36 / 0.8	TL			4 / 12 / 4 / 12 / 4	Planitherm LUX	Planitherm LUX	36	30	Ar	0,8						62	73	17	0,71	22	
AKUTOP LUX 62 40 / 0.7	TL			4 / 14 / 4 / 14 / 4	Planitherm LUX	Planitherm LUX	40	30	Ar	0,7						62	73	17	0,71	22	
AKUTOP LUX 62 44 / 0.7	TL	Rw		4 / 16 / 4 / 16 / 4	Planitherm LUX	Planitherm LUX	44	30	Ar	0,7	34	-2	-6			62	73	17	0,71	22	
AKUTOP LUX 62 48 / 0.6	TL			4 / 18 / 4 / 18 / 4	Planitherm LUX	Planitherm LUX	48	30	Ar	0,6						62	73	17	0,71	22	
AKUTOP LUX 60 42 / 0.8	TL			6 / 12 / 6 / 12 / 6	Planitherm LUX	Planitherm LUX	40	45	Ar	0,8						60	71	17	0,69	19	
AKUTOP LUX 60 44 / 0.8	TL			6 / 14 / 6 / 12 / 6	Planitherm LUX	Planitherm LUX	42	45	Ar	0,8						60	71	17	0,69	19	
AKUTOP LUX 60 46 / 0.7	TL			6 / 14 / 6 / 14 / 6	Planitherm LUX	Planitherm LUX	46	45	Ar	0,7						60	71	17	0,69	19	
TROJSKLA - TEPELNÉ IZOLAČNÍ + PROTIHLUKOVÉ																					
CLIMATOP ULTRA N WS 38/36	TL	Rw		6 / 12 / 4 / 12 / 4	Planitherm ULTRA N	Planitherm ULTRA N	38	35	Ar	0,7	36	-1	-5			49	71	14	0,56	20	
CLIMATOP ULTRA N WS 42/39	TL	Rw		8 / 12 / 4 / 12 / 6	Planitherm ULTRA N	Planitherm ULTRA N	42	45	Ar	0,7	39	-1	-4			47	70	14	0,54	18	
CLIMATOP ULTRA N WS 44/40	TL	Rw		10 / 12 / 4 / 12 / 6	Planitherm ULTRA N	Planitherm ULTRA N	44	50	Ar	0,7	40	-1	-3			47	70	14	0,54	19	
CLIMATOP ULTRA N SILENCE WS 42/42	TL	Rw		6 / 12 / 4 / 12 / VSG-Si 4.4.2	Planitherm ULTRA N	VSG-Si (Planitherm)	42	45	Ar	0,7	42	-1	-5	1B1	P2A	48	69	14	0,56	1	
CLIMATOP ULTRA N SILENCE WS 44/45	TL	Rw		8 / 12 / 4 / 12 / VSG-Si 4.4.2	Planitherm ULTRA N	VSG-Si (Planitherm)	45	50	Ar	0,7	45	-2	-6	1B1	P2A	47	68	14	0,54	1	
CLIMATOP ULTRA N SILENCE WS 48/46	TL	Rw		10 / 12 / 6 / 12 / VSG-Si 4.4.2	Planitherm ULTRA N	VSG-Si (Planitherm)	49	60	Ar	0,7	46	-2	-6	1B1	P2A	49	68	14	0,57	1	
CLIMATOP ULTRA N SILENCE WS 44/47	TL	Rw		VSG-Si 4.4.2/12/4/12/VSG-Si 4.4.2	VSG-Si (Planitherm)	VSG-Si (Planitherm)	44	50	Ar	0,7	47	-2	-6	1B1	P2A	45	68	14	0,51	1	
CLIMATOP ULTRA N SILENCE WS 50/50	TL	Rw		VSG-Si 6.6.2/12/6/12/VSG-Si 4.4.2	VSG-Si (Planitherm)	VSG-Si (Planitherm)	52	65	Ar	0,7	50	-2	-6	1B1	P2A	44	66	13	0,51	1	
PROTIHLUKOVÉ - STANDARD																					

CLIMAPLUS ULTRA N WS 22/35	<u>TL</u>	<u>Rw</u>	6/12/4	Float	Planitherm ULTRA N	22	25	Ar	1.3	35	-1	-4			61	79	11	0,70	31
CLIMAPLUS ULTRA N WS 24/35	<u>TL</u>	<u>Rw</u>	6/14/4	Float	Planitherm ULTRA N	24	25	Ar	1.2	35	-1	-4			61	79	11	0,70	31
CLIMAPLUS ULTRA N WS 26/35	<u>TL</u>	<u>Rw</u>	6/16/4	Float	Planitherm ULTRA N	26	25	Ar	1.1	35	-1	-5			61	79	11	0,70	31
CLIMAPLUS ULTRA N WS 28/36	<u>TL</u>	<u>Rw</u>	6/18/4	Float	Planitherm ULTRA N	28	25	Ar	1.1	36	-2	-5			61	79	11	0,70	31
AKUPLUS PREMIUM 6-18-4	<u>TL</u>	<u>Rw</u>	6/18/4	Float	ClimaGuard Premium	28	25	Ar	1.1	36	-2	-5			62	80	12	0,67	34
CLIMAPLUS ULTRA N WS 30/37	<u>TL</u>	<u>Rw</u>	6/20/4	Float	Planitherm ULTRA N	30	25	Ar	1.2	37	-1	-5			61	79	11	0,70	31
CLIMAPLUS ULTRA N WS 34/36	<u>TL</u>	<u>Rw</u>	6/24/4	Float	Planitherm ULTRA N	34	25	Ar	1.2	36	-2	-5			61	79	11	0,70	31
CLIMAPLUS ULTRA N WS 24/36	<u>TL</u>	<u>Rw</u>	8/12/4	Float	Planitherm ULTRA N	24	30	Ar	1.3	36	-2	-5			59	78	11	0,67	29
CLIMAPLUS ULTRA N WS 28/37	<u>TL</u>	<u>Rw</u>	8/16/4	Float	Planitherm ULTRA N	28	30	Ar	1.1	37	-2	-6			59	78	11	0,67	29
CLIMAPLUS ULTRA N WS 32/37	<u>TL</u>	<u>Rw</u>	8/20/4	Float	Planitherm ULTRA N	32	30	Ar	1.2	37	-3	-7			59	78	11	0,67	29
CLIMAPLUS ULTRA N WS 36/37	<u>TL</u>	<u>Rw</u>	8/24/4	Float	Planitherm ULTRA N	36	30	Ar	1.2	37	-3	-7			59	78	11	0,67	29
CLIMAPLUS ULTRA N WS 34/38	<u>TL</u>	<u>Rw</u>	8/20/6	Float	Planitherm ULTRA N	34	35	Ar	1.2	38	-2	-5			58	78	11	0,67	27
CLIMAPLUS ULTRA N WS 38/38	<u>TL</u>	<u>Rw</u>	8/24/6	Float	Planitherm ULTRA N	38	35	Ar	1.2	38	-2	-5			58	78	11	0,67	27
CLIMAPLUS ULTRA N WS 28/37	<u>TL</u>	<u>Rw</u>	10/14/4	Float	Planitherm ULTRA N	28	35	Ar	1.2	37	-2	-5			59	78	11	0,68	30
CLIMAPLUS ULTRA N WS 30/38	<u>TL</u>	<u>Rw</u>	10/16/4	Float	Planitherm ULTRA N	30	35	Ar	1.1	38	-2	-6			59	78	11	0,68	30
CLIMAPLUS ULTRA N WS 32/38	<u>TL</u>	<u>Rw</u>	10/18/4	Float	Planitherm ULTRA N	32	35	Ar	1.1	38	-2	-6			59	78	11	0,68	30
CLIMAPLUS ULTRA N WS 34/39	<u>TL</u>	<u>Rw</u>	10/20/4	Float	Planitherm ULTRA N	34	35	Ar	1.2	39	-4	-8			59	78	11	0,68	30
CLIMAPLUS ULTRA N WS 28/39	<u>TL</u>	<u>Rw</u>	10/12/6	Float	Planitherm ULTRA N	28	40	Ar	1.3	39	-1	-4			59	78	11	0,67	28
CLIMAPLUS ULTRA N WS 32/39	<u>TL</u>	<u>Rw</u>	10/16/6	Float	Planitherm ULTRA N	32	40	Ar	1.1	39	-1	-4			59	78	11	0,67	28
CLIMAPLUS ULTRA N WS 36/40	<u>TL</u>	<u>Rw</u>	10/20/6	Float	Planitherm ULTRA N	36	40	Ar	1.2	40	-1	-5			59	78	11	0,67	28
CLIMAPLUS ULTRA N WS 40/40	<u>TL</u>	<u>Rw</u>	12/24/4	Float	Planitherm ULTRA N	40	40	Ar	1.2	40	-2	-5			57	78	11	0,65	28
PROTIHLUKOVE - SPECIALNI																			
CLIMAPLUS ULTRA N WS 27/41		<u>Rw</u>	GH 4.1.4/12/6	GH	Planitherm ULTRA N	27	38	Ar	1.3	41	-3	-7			57	77	9		7
CLIMAPLUS ULTRA N WS 31/42		<u>Rw</u>	GH 4.1.4/16/6	GH	Planitherm ULTRA N	31	38	Ar	1.1	42	-3	-7			57	77	9		7
CLIMAPLUS ULTRA N WS 35/42		<u>Rw</u>	GH 4.1.4/20/6	GH	Planitherm ULTRA N	35	38	Ar	1.2	42	-2	-6			57	77	9		7
CLIMAPLUS ULTRA N WS 35/44		<u>Rw</u>	GH 6.1.6/16/6	GH	Planitherm ULTRA N	35	45	Ar	1.1	44	-3	-7			55	75	9		7
CLIMAPLUS ULTRA N WS 26/37	<u>TL</u>	<u>Rw</u>	VSG 3.3.1/16/4	VSG	Planitherm ULTRA N	26	25	Ar	1.1	37	-2	-6	2B2		58	79	11	0,67	2
CLIMAPLUS ULTRA N WS 28/38	<u>TL</u>	<u>Rw</u>	VSG 4.4.2/16/4	VSG	Planitherm ULTRA N	28	30	Ar	1.1	38	-3	-7	1B1	P2A	55	78	11	0,64	1
CLIMAPLUS ULTRA N WS 30/40	<u>TL</u>	<u>Rw</u>	VSG 4.4.2/16/6	VSG	Planitherm ULTRA N	30	35	Ar	1.1	40	-2	-6	1B1	P2A	55	77	11	0,63	1
CLIMAPLUS ULTRA N WS 34/41	<u>TL</u>	<u>Rw</u>	VSG 4.4.2/20/6	VSG	Planitherm ULTRA N	34	35	Ar	1.2	41	-2	-6	1B1	P2A	55	77	11	0,63	1
TRISTAR	<u>TL</u>	<u>Rw</u>	VSG 4.4.4/16/4	VSG	Planitherm ULTRA N	30	30	Ar	1.1	39	-2	-5	1B1	P4A	54	77	11	0,62	1
CLIMAPLUS ULTRA N WS 32/40 QUATTROSTAR	<u>TL</u>	<u>Rw</u>	VSG 4.4.4/16/6	VSG	Planitherm ULTRA N	32	35	Ar	1.1	40	-3	-7	1B1	P4A	54	77	11	0,62	1
CLIMAPLUS ULTRA N WS 32/40	<u>TL</u>	<u>Rw</u>	VSG 5.5.2/16/6	VSG	Planitherm ULTRA N	33	40	Ar	1.1	40	-1	-5	1B1	P2A	53	76	11	0,61	1
CLIMAPLUS ULTRA N SILENCE WS 28/39	<u>TL</u>	<u>Rw</u>	VSG-Si 4.4.1/16/4	VSG-Si	Planitherm ULTRA N	28	30	Ar	1.1	39	-2	-7	2B2		56	78	11	0,65	2
CLIMAPLUS ULTRA N SILENCE WS 30/42	<u>TL</u>	<u>Rw</u>	VSG-Si 4.4.1/16/6	VSG-Si	Planitherm ULTRA N	30	35	Ar	1.1	42	-2	-6	2B2		56	77	11	0,64	2
CLIMAPLUS ULTRA N SILENCE WS 34/43	<u>TL</u>	<u>Rw</u>	VSG-Si 4.4.1/20/6	VSG-Si	Planitherm ULTRA N	34	35	Ar	1.2	43	-2	-7	2B2		56	77	11	0,64	2
CLIMAPLUS ULTRA N SILENCE WS 32/44	<u>TL</u>	<u>Rw</u>	VSG-Si 4.4.1/16/VSG-Si 4.4.2	VSG-Si	VSG-Si (Planitherm)	32	45	Ar	1.1	44	-2	-7	1B1	P2A	56	76	11	0,64	1
CLIMAPLUS ULTRA N SILENCE WS 37/47	<u>TL</u>	<u>Rw</u>	VSG-Si 6.6.2/16/VSG-Si 4.4.2	VSG-Si	VSG-Si (Planitherm)	37	50	Ar	1.1	47	-3	-8	1B1	P2A	52	74	11	0,59	1
CLIMAPLUS ULTRA N SILENCE WS 41/48	<u>TL</u>	<u>Rw</u>	VSG-Si 6.6.2/20/VSG-Si 4.4.2	VSG-Si	VSG-Si (Planitherm)	41	50	Ar	1.1	48	-2	-8	1B1	P2A	52	74	11	0,59	1
CLIMAPLUS ULTRA N SILENCE WS 45/50	<u>TL</u>	<u>Rw</u>	VSG-Si 6.6.2/24/VSG-Si 4.4.2	VSG-Si	VSG-Si (Planitherm)	45	50	Ar	1.2	50	-2	-8	1B1	P2A	52	74	11	0,59	1
BEZPECNOSTNI - VRSTVENE																			
CLIMAPLUS ULTRA N SAFE	<u>TL</u>	<u>Rw</u>	VSG 3.3.1/16/4	VSG	Planitherm ULTRA N	27	25	Ar	1.1	37	-2	-6	2B2		58	79	11	0,67	2
CLIMAPLUS ULTRA N SAFE	<u>TL</u>	<u>Rw</u>	VSG 4.4.1/16/4	VSG	Planitherm ULTRA N	29	30	Ar	1.1	40	-2	-6	2B2		56	78	11	0,65	2
CLIMAPLUS ONE SAFE	<u>TL</u>	<u>Rw</u>	VSG 3.3.1/16/4	VSG	Planitherm ONE	27	25	Ar	1.0	37	-2	-6	2B2		46	70	22	0,63	2
TRISTAR	<u>TL</u>	<u>Rw</u>	VSG 4.4.4/16/4	VSG	Planitherm ULTRA N	30	30	Ar	1.1	39	-2	-5	1B1	P4A	54	77	11	0,62	1
AKUPLUS PREMIUM SAFE 2B2	<u>TL</u>	<u>Rw</u>	VSG 3.3.1/16/4	VSG	ClimaGuard Premium	27	25	Ar	1.1	37	-2	-6	2B2		58	78	12	0,63	4
AKUPLUS PREMIUM SAFE 2B2			VSG 3.3.1/14/4	VSG	ClimaGuard Premium	25	25	Ar	1.1				2B2		58	78	12	0,63	4
AKUPLUS PREMIUM SAFE P2A	<u>TL</u>	<u>Rw</u>	VSG 3.3.2/16/4	VSG	ClimaGuard Premium	27	25	Ar	1.1	37	-2	-6	1B1	P2A	57	78	12	0,62	2
AKUPLUS PREMIUM SAFE P2A	<u>TL</u>		VSG 3.3.2/14/4	VSG	ClimaGuard Premium	27	25	Ar	1.1				1B1	P2A	57	78	12	0,62	2
AKUPLUS PREMIUM SAFE P4A	<u>TL</u>	<u>Rw</u>	VSG 3.3.22/16/4	VSG	ClimaGuard Premium	28	25	Ar	1.1	37	-2	-6	1B1	P4A	56	78	12	0,61	0
AKUPLUS PREMIUM SAFE 2B2	<u>TL</u>	<u>Rw</u>	VSG 4.4.1/16/4	VSG	ClimaGuard Premium	29	30	Ar	1.1	40	-2	-6	2B2		56	78	12	0,61	4
AKUPLUS PREMIUM SAFE P2A	<u>TL</u>	<u>Rw</u>	VSG 4.4.2/16/4	VSG	ClimaGuard Premium	29	30	Ar	1.1	38	-3	-7	1B1	P2A	56	78	12	0,60	2
AKUPLUS PREMIUM SAFE P4A	<u>TL</u>	<u>Rw</u>	VSG 4.4.22/16/4	VSG	ClimaGuard Premium	30	30	Ar	1.1	39	-2	-5	1B1	P4A	55	78	12	0,60	0
AKUTOP PREMIUM SAFE P1A	<u>TL</u>		VSG 33.2/12/4/12/4	VSG LOW-E	ClimaGuard Premium	39	35	Ar	0,7				1B1	P1A	47	70	15	0,50	1
BEZPECNOSTNI - TVRZENE																			
AKUPLUS PREMIUM SAFE ESG	<u>TL</u>		4/16/4	ESG	ClimaGuard Premium	24	20	Ar	1.1	32			1C3		63	80	12	0,69	35
AKUPLUS PREMIUM SAFE ESG	<u>TL</u>	<u>Rw</u>	6/16/4	ESG	ClimaGuard Premium	28	25	Ar	1.1	35	-1	-5	1C2		62	80	12	0,67	34
AKUPLUS PREMIUM SAFE ESG	<u>TL</u>	<u>Rw</u>	8/16/4	ESG	ClimaGuard Premium	32	30	Ar	1.1	37	-2	-6	1C2		59	79	12	0,66	33
BEZPECNOSTNI - PROTIPOZARNI																		trida bezpecnosti	
AKUPLUS PREMIUM PYROSWISS			7/16/4	Drátoskio O400	ClimaGuard Premium	27	28	Ar	1.1	35			EW 60			77			

